



2' GRATED INLET
TOP = 947.25
FL(15')=943.75

FROSTY PEAKS
1,000 SF

Cabo Bobs
BURRITOS
2,814 SF

JIMMY JOHN'S SANDWICHES
1,275 SF

5' CURB INLET
TDP=946.75
FL(15')=943.00
FL(18')=942.75

FL(15')
945.58

FL(15')
945.70

927
TREE WELL

926
TREE WELL

8' x 10' W.L.

R=2158.39'
N26°00'29"W C=179.06'
top conc. curb inlet

EX. 12" WATER COA-99-0006

U.S. HIGHWAY 189 (R. & W. VARIES)

INLET
45.85
942.30
RIFY)

TION OF RESTRICTIONS
GRANT OF EASEMENTS
DOC. NO.9908927
WILLIAMSON CO.

ATED INLET
P = 946.85
18')=943.33

S18°29'23"E

S18°11'16"E

S18°

EX. 24" SS - A52 (1880')

CAB. &
SLIDES 153-155

TION OF RESTRICTIONS
GRANT OF EASEMENTS
DOC. NO.9908927
WILLIAMSON CO.

ATED INLET
P = 946.85
18')=943.33

S18°29'23"E

S18°11'16"E

S18°

EX. 24" SS - A52 (1880')

CAB. &
SLIDES 153-155

TION OF RESTRICTIONS
GRANT OF EASEMENTS
DOC. NO.9908927
WILLIAMSON CO.

ATED INLET
P = 946.85
18')=943.33